



#### Safety Data Sheet dated 27/02/2018, version 2

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: RUBIS BLOC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Rodenticide - Biocidal use

Professional use

Uses advised against:

Do not use for purposes other than those stated in "Recommended uses"

#### 1.3. Details of the supplier of the safety data sheet

Company:

Lodi Group - Parc d'Activités des Quatre Routes

35390 Grand Fougeray - France Tel 0033 (0) 2.99.08.48.59

Competent person responsible for the safety data sheet:

fds@lodi.fr

#### 1.4. Emergency telephone number

112

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Repr. 1B, May damage the unborn child if inhaled and in contact with skin.

Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H360 May damage the unborn child

H373 May cause damage to organs (blood) through prolonged or repeated exposure.

Precautionary statements:

P201 Óbtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves.

Rubis Bloc ATP9/1 Page n. 1 of 10



P308+P313 IF exposed or concerned: Get medical advice.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:** 

None

Contents

Difenacoum

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not available

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
50 ppm	Difenacoum	CAS: EC:	56073-07-5 259-978-4	3.1/1/Dermal Acute Tox. 1 H310 4.1/A1 Aquatic Acute 1 H400 M=10. 4.1/C1 Aquatic Chronic 1 H410 M=10. 3.1/1/Inhal Acute Tox. 1 H330 3.1/1/Oral Acute Tox. 1 H300 3.7/1B Repr. 1B H360 3.9/1 STOT RE 1 H372

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Remove contaminated clothing immediately and dispose off safely.

In case of skin or eye contact, immediately and thoroughly wash with water.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

Rinse the eye slowly and gently with water for 15-20 minutes

Rubis Bloc ATP9/1 Page n. 2 of 10



Wash thoroughly under a trickle of water (warm if possible) for several minutes, holding the eyelids open under the stream of water.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

Immediately consult a physician and show the label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

In case of inhalation, breath fresh air and have a rest. In case of faintness, consult a physician and show the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Internal haemorrhage in case of ingestion

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Antidote = Vitamin K1, under medical supervision

In cases of acute distress, contact the 15 (or 112).

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Rubis Bloc ATP9/1 Page n. 3 of 10



#### 6.3. Methods and material for containment and cleaning up

Rapidly recover the product. To do so, wear a mask and protective clothing. Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry and cool place.

Store in original container, tightly closed

Keep away from sources of ignition - No Smoking.

Keep away from food and drink and animal feeding stuffs

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

None in particular

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No occupational exposure limit available

**DNEL Exposure Limit Values** 

Not available

**PNEC Exposure Limit Values** 

Not available

#### 8.2. Exposure controls

Eye protection:

Avoid contact with eyes

Protection for skin:

Overall.

Wash clothing regularly

Protection for hands:

Wearing gloves is mandatory.

Waterproof gloves according to NF EN374

Respiratory protection:

Use adequate protective respiratory equipment.

Thermal Hazards:

Keep away from sources of ignition - No Smoking.

Rubis Bloc ATP9/1 Page n. 4 of 10



Environmental exposure controls:

Prevent access to children, pets and non-target animals.

Avoid release in the environment

Avoid release in watercourses and sewers

Place baits in areas not submersible and weatherproof.

Appropriate engineering controls:

None

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Red Block		
Odour:	Characteristic		
Odour threshold:	Not available		
pH:	6.1 (1% in water)		
Melting point / freezing point:	53 - 54°C		
Initial boiling point and boiling range:	Not available		
Flash point:	Not available		
Evaporation rate:	Not available		
Solid/gas flammability:	Not available		
Upper/lower flammability	Not available		
or explosive limits:	Not available	 	
Vapour density	Not available		
Vapour density:	1.24	<del></del>	
Relative density: Solubility in water:	Not available		
Solubility in oil:	Not available		
Partition coefficient (n-octanol/water):	Not available		
Auto-ignition temperature:	256°C		
Decomposition temperature:	Not available		
Viscosity:	Not available		
Explosive properties:	Not explosive		
Oxidizing properties:	Not oxidizing		

#### 9.2. Other information

Properties	Value	Method:	Notes:
		11101110	1101001
Miscibility:	Not available		
Fat Solubility:	Not available		
Conductivity:	Not available		
Substance Groups	Not available		
relevant properties			

**SECTION 10: Stability and reactivity** 



#### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

None

#### 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials

None in particular.

#### 10.6. Hazardous decomposition products

None.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Toxicological information of the mixture:

#### **Rubis Bloc**

a) acute toxicity:

Test: LD50 - Route: dermal - Species: Rat : > 2000 mg/Kg Test: LD50 - Route: oral - Species: Rat : > 2000 mg/Kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: dermal - Species: Rabbit : Non irritating

c) serious eye damage/irritation:

Test: Eye Irritant - Route: ocular - Species: Rabbit : Non irritating

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: dermal - Species: Guinea Pig : Non skin sensitizer

Toxicological information of the main substances found in the mixture:

#### Difenacoum - CAS: 56073-07-5

a) acute toxicity:

Test: LD50 - Route: dermal - Species: Rat (female): 51.54 mg/Kg

Test: LD50 - Route: oral - Species: Rat (male): 1.8 mg/Kg

Test: LD50 - Route: Inhalation - Species: Rat : 3.646 - 5.848 µg/L - Duration: 4h

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- i) aspiration hazard.

Rubis Bloc ATP9/1 Page n. 6 of 10



#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. **Difenacoum** 

a) Aquatic acute toxicity:

Endpoint: LC50 Rainbow Trout = 0.064 mg/L - Duration h: 96 Endpoint: LC50 Daphnia magna = 0.52 mg/L - Duration h: 48 Endpoint: ErC50 Algae = 0.51 mg/L - Duration h: 72

#### 12.2. Persistence and degradability

Difenacoum is not readily biodegradable

#### 12.3. Bioaccumulative potential

Difenacoum has a high potential for bioaccumulation

#### 12.4. Mobility in soil

Not available

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

#### 12.6. Other adverse effects

None

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

#### **SECTION 14: Transport information**

#### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

#### 14.2. UN proper shipping name

Not available

#### 14.3. Transport hazard class(es)

Not available

#### 14.4. Packing group

Not available

#### 14.5. Environmental hazards

Marine pollutant: No

#### 14.6. Special precautions for user

Not available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not available

Rubis Bloc ATP9/1 Page n. 7 of 10



#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 1221/2015 (ATP 7 CLP)

Regulation (EU) n. 918/2016 (ATP 8 CLP)

Regulation (EU) n. 1179/2016 (ATP 9 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1
None

#### 15.2. Chemical safety assessment

No

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H310 Fatal in contact with skin.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H300 Fatal if swallowed.

H360 May damage fertility or the unborn child if inhaled and in contact with skin.

H372 Causes damage to organs through prolonged or repeated exposure.

Hazard class and hazard category	Code	Description
Acute Tox. 1	3.1/1/Dermal	Acute toxicity (dermal), Category 1
Acute Tox. 1	3.1/1/Inhal	Acute toxicity (inhalation), Category 1
Acute Tox. 1	3.1/1/Oral	Acute toxicity (oral), Category 1

Rubis Bloc ATP9/1 Page n. 8 of 10



Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
STOT RE 1	3.9/1	Specific target organ toxicity - repeated
		exposure, Category 1
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

CSR: Chemical safety report DNEL: Derived No Effect Level.

EC50:

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

N.A.: Not available

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

Rubis Bloc ATP9/1 Page n. 9 of 10



UN: United Nations

WGK: German Water Hazard Class.

Rubis Bloc ATP9/1 Page n. 10 of 10