



Safety Data Sheet dated 17/05/2016, version 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: **KELION**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Insecticide - Biocidal use

Uses advised against:

Do not use for purposes other than those stated in "Recommended uses"

### 1.3. Details of the supplier of the safety data sheet

Company:

Lodi Group - Parc d'Activités des Quatre Routes  
35390 Grand Fougeray - France Tel 0033 (0) 2.99.08.48.59

Competent person responsible for the safety data sheet:

[fds@lodi.fr](mailto:fds@lodi.fr)

### 1.4. Emergency telephone number

FRANCE BNPC: 0033 (0)3 83 32 36 36

Liste des centres anti-poisons de France: <http://www.centres-antipoison.net>

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

N Dangerous for the environment


R Phrases:


R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R64 May cause harm to breastfed babies.

EC regulation criteria 1272/2008 (CLP)

Lact., May cause harm to breast-fed children.

 Warning, Aquatic Acute 1, Very toxic to aquatic life.

 Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

Symbols:



## Safety Data Sheet KELION

Warning

Hazard statements:

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust or mist.

P263 Avoid contact while nursing.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

This SDS concerns a mixture, see 3.2.

### 3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

300g/L Etofenprox

CAS: 80844-07-1, EC: 407-980-2

N; R50/53-64

3.7/Lact. Lact. H362



4.1/A1 Aquatic Acute 1 H400



4.1/C1 Aquatic Chronic 1 H410

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Safety Data Sheet KELION

**4.2. Most important symptoms and effects, both acute and delayed**  
None

**4.3. Indication of any immediate medical attention and special treatment needed**  
Treatment:  
None

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture.

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand.

#### 6.3. Methods and material for containment and cleaning up

Rapidly recover the product. To do so, wear a mask and protective clothing.

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

---

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

## Safety Data Sheet KELION

See also section 8 for recommended protective equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in the original container

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Wearing gloves is recommended.

Respiratory protection:

In case of volumes treatments, wear appropriate respiratory apparatus (filtering device)

Thermal Hazards:

None

Environmental exposure controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance and colour:	Liquid Slightly Yellow
Odour:	Characteristic
Odour threshold:	N.A.
pH:	6,40 (diluted at 1% at 19,9°C)
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	137,0 +/- 0,5 ° C
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	1,031 +/- 0,001
Solubility in water:	N.A.
Solubility in oil:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	430 +/- 8°C

## Safety Data Sheet KELION

Decomposition temperature:	N.A.
Viscosity:	37,83 m <sup>2</sup> /s et 20°C
Explosive properties:	No explosive properties
Oxidizing properties:	N.A.

### 9.2. Other information

Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the mixture:

KELION

#### a) acute toxicity:

Test: LD50 - Route: dermal - Species: Rat : > 2000 mg/kg b.w (OCDE N°402)

Test: LD50 - Route: oral - Species: Rat : > 2000 mg/kg b.w (OCDE N°423)

Test: LC50 - Route: Inhalation - Species: Rat : > 5.22 mg/L - Duration: 4h (OCDE N°436)

#### b) skin corrosion/irritation:

Test: Skin Irritant - Route: dermal - Species: Rabbit : Non irritating (OCDE N°404)

#### c) serious eye damage/irritation:

Test: Eye Irritant - Route: ocular - Species: Rabbit : Non irritating (OCDE N°405)  
- Notes: slight to moderate irritation - reversible

#### d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: dermal - Species: Guinea Pig : Non skin sensitizer (OCDE N°406)

Toxicological information of the main substances found in the mixture:

Etofenprox - CAS: 80844-07-1

#### a) acute toxicity:

Test: LD50 - Route: oral - Species: Rat : > 2000 mg/Kg

Test: LD50 - Route: dermal - Species: Rat : > 2000 mg/Kg

## Safety Data Sheet KELION

Test: LC50 - Route: Inhalation - Species: Rat : > 5.88 mg/L - Duration: 4h  
May cause harm to breastfed babies

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

### SECTION 12: Ecological information

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Etofenprox - CAS: 80844-07-1

- a) Aquatic acute toxicity:
  - Endpoint: LC50 Rainbow Trout = 0.0027 mg/L - Duration h: 96
  - Endpoint: LC50 Bluegill = 0.013 mg/L - Duration h: 96
  - Endpoint: EC50 Daphnia magna = 0.0012 mg/L - Duration h: 48
- b) Aquatic chronic toxicity:
  - Endpoint: NOEC Rainbow Trout = 0.0032 mg/L - Duration: 21 jours
  - Endpoint: NOEC Zebra Fish = 0.025 mg/L - Duration: 40 jours
  - Endpoint: NOEC Daphnia magna = 0.000054 mg/L - Duration: 21 jours

#### 12.2. Persistence and degradability

N.A.

#### 12.3. Bioaccumulative potential

N.A.

#### 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

#### 12.6. Other adverse effects

None

---

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information

## Safety Data Sheet KELION

### 14.1. UN number

ADR-UN number: 3082  
IMDG-Un number: 3082

### 14.2. UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
NOS (Etofenprox), 9,III, (E)

### 14.3. Transport hazard class(es)

ADR-Class: 9

### 14.4. Packing group

ADR-Packing Group: III

### 14.5. Environmental hazards

Marine pollutant: Marine pollutant

### 14.6. Special precautions for user

N.A.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

*Product eligible for exemption under the special provisions A197 (IATA), 375 (ADR) and section 2.10.2.7 (IMDG)*

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)  
Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) n. 453/2010 (Annex I)  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:  
Restriction 3

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.  
Regulation (EC) nr 648/2004 (detergents).  
1999/13/EC (VOC directive)

### 15.2. Chemical safety assessment

## Safety Data Sheet KELION

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R64 May cause harm to breastfed babies.

H362 May cause harm to breast-fed children.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
CSR:	Chemical safety report
DNEL:	Derived No Effect Level.
EC50:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
N.A.:	Not available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.





## Safety Data Sheet KELION

STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.  
(ACGIH Standard).  
UN: United Nations  
WGK: German Water Hazard Class.