

JADE BLOC

BLOCK BAIT WITH 0,005% OF BROMADIOLONE

RODENTICIDE TO FIGHT AGAINST MICE AND RATS
IN AND AROUND BUILDINGS,
WASTE DUMPS, OPEN AREAS AND SEWERS



Composition

Active substance	Bromadiolone
CAS No	28772-56-7
Concentration	0,005% w/w
Physical state at 20°C	Solid Bait
Colour	Green
Odour	Light

Mode of action

Bromadiolone is a second generation anticoagulant. Rodents die from internal bleeding. The first symptoms appear several hours after ingestion and death occurs on average 3-14 days later.

Target rodents:

Brown Rats (*Rattus norvegicus*)
Black Rats (*Rattus rattus*)
House Mice (*Mus musculus*)

Instructions for use

Locate rodent activity tracks: droppings, holes, burrows, nests, etc. Adapt the number of block baits and the distances according to the infestation level:

- Place 20g to 30g of bait every 3 to 5 meters to fight against mice.
 - Place 90g to 100g of bait every 5 to 10 meters to fight against rats.
- Place baits in a safe manner to prevent access by children and non-targeted animals.

Place baits in suitable secure bait station.

Regularly check bait consumption and replace consumed or soiled bait, until the consumption has stopped.

At the end of the treatment, remove baits and material and dispose of safely. Repeat the treatment in case of new infestation, new tracks or fresh droppings.

Disposal

Dispose of this material and its container in a safe manner. Do not dispose of into drains, sewers and water course.

Dispose of the unused product and its recipients in safe manner according to local waste disposal regulation.

Packaging

Contact us for details

Precautions for use

Use rodenticide safely, always read the label and product information before use.

The safety data sheet is free available on request: fds@lodi.fr.

Wear gloves and wash hands after use.

Store in the original container in a dry and cool place.

In case of ingestion, call the nearest poison centre.