

## **TECHNICAL DATA SHEET**

20/01/2015

# JADE CLUSTER GRAIN

Block bait (Cereal Bar) containing 0.005% w/w of bromadiolone Rodenticide to fight against mice and rats in and around buildings, waste dumps and open areas

### 1. COMPOSITION

Physical state at 20°C ... Solid bait Colour ..... Green Odour ..... Light

#### 2. MODE OF ACTION

Bromadiolone is a second generation anticoagulant.

Rodents die from internal bleeding. The first symptoms appear several hours after ingestion and death occurs on an average of 7-15 days later.

Target rodent: **Brown Rats** (Rattus norvegicus) and **Black rats** (Rattus rattus) **House Mice** (Mus musculus) and **Wood Mice** (Apodemus sylvaticus)

#### 3. INSTRUCTIONS OF USE

Locate rodent activity tracks: droppings, holes, burrows, nests, etc. Adapt the number of **baits** and the distances according to the level of infestation:

- Place 60g to 100g of bait every 5 to 10 meters to fight against rats.
- Place 20g to 30g of bait every 2 to 5 meters to fight against mice and wood mice.

Place baits in a safe manner to prevent access by children and non-targeted animals. You must place baits in **secure bait station**.

Check bait consumption regularly and replace consumed or soiled bait, until the consumption has stopped.

At the end of the treatment, remove baits and material and dispose them off safely. Repeat treatment in case of new infestation, new tracks or fresh droppings.

### 4. ELIMINATION

Dispose this material and its container in a safe manner.

Do not dispose of into drains, sewers and water course.

Dispose unused product and it recipients in safe manner according to local waste disposal regulation

### 5. PACKAGING

For professional: 5 kg buckets (30g sachet)

#### 6. PRECAUTIONS OF USE

Use rodenticide with precaution. Before use, read the label and information about the product.

The safety data sheet is available upon request at the following address: <u>fds@lodi.fr</u> Wear gloves (NF EN 374, part 1, 2 and 3) and wash hands after use. Store in the original container, in a dry and cool place. In case of ingestion, call the nearest poison centre.