

# OPALE

## DIFENACOU M PASTE 25PPM

PASTE BAIT AGAINST  
BROWN RATS, BLACK RATS & MICE

### Regulatory information

Product type	PT14 – Rodenticide
Formulation type	Ready to use (RB) paste bait
Active substance	Difenacoum (CAS No. 56073-07-5)
Concentration	0,0025 % w/w
Bittering	Denatonium benzoate 10ppm
Approved name	LA PASTA DES RONGEURS
Targets	Brown rats ( <i>Rattus norvegicus</i> ) Black rats ( <i>Rattus rattus</i> ) House mice ( <i>Mus musculus</i> )
Application	Use indoors, around buildings / in open outdoor areas, landfills and waste disposal sites (rats only).

### Mode of action

Difenacoum is a second-generation anticoagulant. Rodents die from internal bleeding. The first symptoms appear a few hours after ingestion, and death occurs on average 4 to 10 days later.

### Instructions for use

The product should be used in covered and protected bait stations or bait points.

#### Indoor use, around buildings :

**Against rats :** 100 g of product spaced 5 to 10 meters apart.

**Against mice :** 30 g of product spaced 3 to 5 meters apart.

#### Use in outdoor landfills and waste disposal sites :

**Against rats :** 100 g of product spaced 5 to 10 meters apart.

Inspect stations after 2 to 3 days (mice) and 5 to 7 days (rats) to verify that the bait is accepted, then once a week.

Products should not be used beyond 35 days without assessment of infestation status and treatment efficacy.

### Disposal

Do not discharge this product into the environment or down the drain. Dispose of this product and its container only with due care. Once treatment is complete, dispose of uneaten bait and packaging through an appropriate collection system. Packaging that has come into contact with the product must not be reused or recycled. Dispose of used bait stations at a waste disposal center or other appropriate collection center. Search for and dispose of dead rodents during treatment, at a minimum, every time the bait stations are inspected. Rodents can carry diseases. Do not touch dead rodents with bare hands; wear gloves or use instruments such as tongs to dispose of them. Dispose of dead rodents in accordance with local regulations.



### Packaging

10 g sachets - 5 kg bucket

### Safety instructions

**PT14** - Use biocides safely. Always read the label and product information before use. Dangerous. Follow safety instructions.

The safety data sheet is available free of charge on request from the following address: [fds@lodi.fr](mailto:fds@lodi.fr). For first aid instructions, contact the nearest poison control centre.

Do not use in areas where resistance to the active substance is suspected. Do not alternate the use of different anticoagulants of comparable or lesser efficacy for resistance management. For alternate use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant. If, after a 35-day treatment period, baits continue to be consumed and no reduction in rodent activity is observed, the cause should be determined. You may be dealing with resistant rodents.