



EMULSIONNABLE CONCENTRATE INSECTICIDE FOR TREATMENT OF LIVESTOCK BUILDINGS

PROFESSIONAL USE

Composition

Etofenprox (CAS Number 80844-07-1) 300 g/L

Indications

KELION effectively and radically eliminates flies (*Musca domestica*, *Stomoxys calcitrans*, *Eristalis tenax*) adult and larvae, midges (*Imicola Culicoides*), darkling/litter beetles (*Alphitobus diaperinus*) adult and larvae, red mites, cockroaches, cucujids.

Insects and mites are killed in less than thirty minutes and surfaces remain protected for 8 weeks. The product is effective on porous and non-porous surfaces: tiling, breeze block, sheet metal, wood.

The product has a double effectiveness: a shock effect and a long-lasting action (8 weeks).

Instructions for use

Doses: 500 mL in 50 L of water for 1000 m² to treat, 50 mL in 5 L of water per 100 m² of surface to be sprayed.

The product can be used by spraying in livestock buildings: dairy cows, calves, goats, kids, sheep, lambs / pigs, rabbits, horses and poultry. The product is approved for disinsection of pet housing, breeding equipment, pet transport equipment, pet food preparation rooms. It is also authorized for insecticide treatment of transport equipment, storage equipment and storage rooms.

Flies / Midges / Cockroaches: apply spray to the walls as soon as the first flies or cockroaches appear. Biting midges vectors of Bluetongue such as *Imicola Culicoides*: apply the product by spraying on the walls as soon as the first midges appear.

Darkling/Litter beetles/Cucujids: spray the product on the walls and ceilings 2 days before the end of the crawlspace, at the re-heating of the building for maximum efficiency.

Red mites: treat the buildings and equipment one week before the end of the crawlspace after performing a complete cleaning to remove all clumps of organic material that can be used as a refuge for red mites by insisting on the cages, crevices, nooks, to carpets, heated and sheltered areas.

Variable ventilation time depending on the ventilation level and the size of the room to be treated.

The product may be applied in the presence of animals by avoiding direct contact with the animals during application and by not spraying troughs, feeders and other food receiving areas.

Retreat in case of new infestation and before any entry of animals as part of the breeding.



Strengths

- Shock effect.
- Long-lasting action of 8 weeks.
- 500 mL = 1 000 m² treated.
- Usable in the presence of animals*.

*Avoid direct contact with animals during application.

Packaging

500 ml dosing bottle

Storage and disposal

Keep out of reach of children and pets. Store in the original packaging and do not reuse the packaging. Do not dispose of residues in sewers and waterways. Do not reuse the packaging. Packaging and product must be disposed of as hazardous waste under the full responsibility of the holder of such waste.

Safety instructions

PT18 - Use biocides safely. Always read the label and product information before use. Dangerous. Follow safety instructions.

For first aid instructions, contact your nearest poison control center. The safety data sheet is available free of charge upon request at the following address: fds@lodi.fr

Surface spraying: It is recommended to wear gloves and wash your hands after each use.

Volume treatment: It is mandatory to wear a full-body disposable suit, a panoramic mask, gloves, and boots. Wash your hands after use. Rinse the equipment used after each use. Wear protective equipment appropriate for the treatment being used: gloves and safety goggles. Do not breathe spray mist. Wear a mask to avoid inhaling liquid particles suspended in the air. Do not spray on people, food, or animals. **Keep cats away from treated surfaces.** This biocidal product contains pyrethroid active substance name which can cause severe adverse reactions in cats. If pets have exposure, get veterinary advice attention.