TECHNICAL DATA SHEET



EMULSIONNABLE CONCENTRATE INSECTICIDE FOR TREATMENT OF LIVESTOCK BUILDINGS

DURING DOWNTIME PROFESSIONAL USE

Composition

Permethrin (CAS Number 52645-53-1): 250 g/L Piperonyl butoxide (CAS Number 51-03-6): 150 g/L D-Allethrin (CAS Number: 42534-61-2): 30 g/L

Indications

AURODIL is an emulsifiable insecticide solution to be diluted in water, designed to treat livestock buildings against insects during sanitary downtime. Thanks to its composition, the product combines a flushing out effect with a shock action that eliminates insects upon contact.

AURODIL must be used inside livestock buildings and around homes against darkling beetles (litter beetles), flies, red mites, fleas, cockroaches.

Strengths

- Flushing out effect.
- Shock and long-lasting action.
- Treatment during downtime.

Instructions for use

Shake the bottle well before use.

Surface treatment by spraying (Long-lasting action): Maintenance treatment: dilute 50 mL of product in 5 L of water for a surface area of 100 m²

Shock treatment: dilute 100 mL of product in 5 L of water for a surface area of 100 m².

Spray 1 L of the prepared mixture per 100 linear meters or 20 m² of surface to be treated.

Evacuate animals before spraying. Ventilate during the treatment and thoroughly air out (30 minutes to 2 hours depending on ventilation level) before reoccupying the premises.

Action persists for 8 weeks. **Volume treatment** by nebulization (hot or cold):

Maintenance treatment: dilute 50 mL of product in 5 L of water for a volume of 5000 m³

Shock treatment: dilute 100 mL of product in 5 L of water for a volume of 5000 m³. Nebulize 1 L of the prepared mixture per 1000 m³ of volume to be treated.

Evacuate animals before nebulizing. Keep the building closed for 4 to 6 hours. Air out thoroughly before reintroducing animals. For use in processing laboratories, hermetically cover all installations. After treatment, rinse all surfaces that come into contact with

food products. Retreat in case of reinfestation.



Packaging

500 ml dosing bottle

Storage and disposal

Store at a temperature above 5°C.

Keep unused product in its original packaging.

Store out of reach of children and away from human and animal food. Store in a ventilated area and keep away from heat sources. Do not reuse the packaging. Do not dispose of residues in sewers or waterways. Packaging and product must be disposed of as hazardous waste under the full responsibility of the holder of such waste.

Safety instructions

PT18 - Use biocides safely. Always read the label and product information before use. Dangerous. Follow safety instructions.

The safety data sheet is available free of charge on request from the following address: fds@lodi.fr. For first aid instructions, contact the nearest poison control centre.

Spraying (Surface Treatment): Wearing gloves and an appropriate half-mask filter for protection against spray mist is recommended. Wash hands after use.

Nebulization (Volume Treatment): Wearing a disposable fullbody suit, panoramic mask, gloves, and boots is mandatory. Wash hands after use.

Keep cats away from treated surfaces. This biocidal product contains pyrethroid active substance name which can cause severe adverse reactions in cats. If pets have exposure, get veterinary advice attention.

