PHOBI CYPERBIO 100 EW

EMULSIFIABLE LIQUID CONCENTRATE
AGAINST CRAWLING & FLYING INSECTS

PROFESSIONAL USE

Composition

Cypermethrin (CAS Number 52315-07-8): 100 g/L **Tetramethrin** (CAS Number 7696-12-0): 0,1 g/L

Strengths

- Long-lasting action.
- Chock effect.
- Broad spectrum action.
- **Low odor:** formulated in aqueous emulsion, this type of preparation has the advantage of being low in odor.

Indications

Mode of Action:

PHOBI CYPERBIO 100 EW acts through contact and ingestion on insects. Cypermethrin, a molecule from the pyrethroid family, disrupts the transmission of nerve impulses along axons by prolonging the opening of sodium channels in the walls of nerve cells. Cypermethrin provides **PHOBI CYPERBIO 100 EW** with a knockdown effect combined with strong long-lasting action.

Spectrum of Action:

PHOBI CYPERBIO 100 EW acts on a broad spectrum of crawling and flying insects, such as cockroaches, ants, fleas, wasps, flies, mosquitoes, as well as arachnids (spiders and mites).

PHOBI CYPERBIO 100 EW is particularly suitable for sites where clients demand low-odor products.

Instructions for use

- Shake the bottle before diluting the product.
- Mix 250 ml of **PHOBI CYPERBIO 100 EW** with 5 liters of water in the sprayer.
- Mix thoroughly to obtain a homogeneous solution.
- Apply the dilution using a sprayer at a rate of 5 L per 100 m².

Ventilate during the treatment and thoroughly air out the area (indicatively: 30 minutes to 2 hours depending on ventilation level) before reoccupying the treated space.

Repeat the treatment in case of re-infestation.





Packaging

250 ml bottle 5 L can

Storage and disposal

Store in the original container.

Do not reuse the packaging. The packaging and product must be disposed of as hazardous waste under the sole responsibility of the waste holder. Do not dispose of residues in sewers or waterways.

Safety instructions

PT18 - Use biocides safely. Always read the label and product information before use. Dangerous. Follow safety instructions. The safety data sheet is available free of charge on request from the following address: <code>fds@lodi.fr</code>. For first aid instructions, contact the nearest poison control centre.

Prepare only the amount of solution that will be used within the day.

Evacuate people, animals (including aquariums and terrariums), and food from the area to be treated.

Do not spray on people, clothing, food, or animals.

Keep cats away from treated surfaces. This biocidal product contains pyrethroid substances that may cause severe adverse effects in cats. If animals are exposed, consult a veterinarian.

Wear a half-mask respirator to avoid inhaling particles suspended in the air during spraying. Wearing gloves is recommended, and hand washing is essential after handling. Do not inhale spray mist.

Use only in well-ventilated areas.

