

# FATAL PRO+

EMULSIONNABLE CONCENTRATE INSECTICIDE  
FOR TREATMENT OF LIVESTOCK BUILDINGS  
DURING DOWNTIME

PROFESSIONAL USE

## Composition

Cypermethrin (CAS number 52315-07-8): 100 g/L  
*Chrysanthemum cinerariaefolium* extract from open and mature flowers of *Tanacetum cinerariifolium* obtained with supercritical carbon dioxide (Pyrethrum): 1 g/L

## Indications

Concentrated insecticide intended for the treatment of livestock premises during downtime, targeting darkling beetles (litter beetles), flies and spiders (adult stage).

**FATAL PRO+** acts by contact and ingestion on insects.

Cypermethrin gives **FATAL PRO+** a shock effect combined with a strong long-lasting action.

Insects are killed within 30 minutes. Under optimal conditions, the product remains until 8 weeks.

## Strengths

- Shock effect.
- Concentrated formula.
- Long-lasting action up to 8 weeks.

## Instructions for use

Shake the bottle before to dilute the product in a sprayer.  
Mix 1 L of **FATAL PRO+** with 20 L of water in the sprayer to treat 400 m<sup>2</sup>.

The application must be carried out on clean surfaces (previously cleaned walls and ceilings) to obtain maximum effectiveness and long-lasting action.

Treatment during downtime, do not treat in the presence of animals.

Ventilate throughout the treatment and ventilate thoroughly (30 minutes to 2 hours depending on the ventilation level) before reoccupying the treated premise.

Retreat in case of new infestation.



## Packaging

1L bottle

## Storage and disposal

Store in the original container.

Do not reuse the packaging. Do not dispose of residues in sewers or waterways. Packaging and product must be disposed of as hazardous waste under the full responsibility of the holder of such waste.

## Safety instructions

**PT18** - Use biocides safely. Always read the label and product information before use. Dangerous. Follow safety instructions.

The safety data sheet is available free of charge on request from the following address: [fds@lodi.fr](mailto:fds@lodi.fr). For first aid instructions, contact the nearest poison control centre.

Only prepare the amount of solution you know you will use during the day.

Do not spray on people, clothing, food or animals.

Wear a simple mask to avoid breathing in particles suspended in the air during spraying. Wearing gloves is recommended and washing your hands is essential after handling.

Do not breathe vapors and aerosols.

Use only in well-ventilated areas.